

Specification

LDR-C series –LDR353-2500




LDR353-2500




Features

- Ever-changing shapes generated by means of super free application and connections of lines and arcs
- Flexible diffuser making it easy for installation without connections for over length application and light leakage
- AL6063 aluminum profile with high-quality surface treatment and three optional colors of black, white and silver
- Specially designed light source with diffusers producing homogeneous and soft lighting
- Various installation ways: pendant, recessed and surface mounted



Details



Standard Configuration

① Profile:



Installation : Pendant/Recessed/Surface mounted

Material : AL6063-T5

Applications: Indoors

Profile weight : 1.99kg/2.5m

Size : L2500*W35*H35mm

Surface processing: Anodizing



③
TERMINALI

35*35*1.5mm

AL6061










⑤
ACCESSORI

M3.5*40mm


Carbon steel

Optional Accessories

	sospensioni con rosone	acciaio cable D1.5*2000/4000mm	Junction box L80*W80*H30mm
	sospensioni	acciaio cable D1.5*2000/4000mm	
	Alimentatori	-V24-100S	390*38*28.5mm
	④ Rigid modular LDR 8120-24V-20mm	DC24V 19.2W/m	width 20mm Min. taglio unit 50mm
	180° estensione	L55*W10*H2mm	
	estensione arco	L55*W10*H2mm	
	② Diffusore	L2500mm	Diffusore

Optical Parameter












LDR8120-24V-20mm light source, frosted diffuser



1m	93.25,328.7lx	297.07cm
2m	23.31,82.17lx	594.14cm
3m	10.36,36.52lx	891.20cm
5m	3.730,13.15lx	1485.34cm
7m	1.903,6.708lx	2079.47cm
Height	Eavg,Emax	Angle:112.10deg Diameter

Ways to sell :

Standard product + flexible customization

Profile (component packaging)							
Standard product	Item	Profilo	terminali		accessori fissaggio		
	immagini						
	Amount	1 pcs	2 pcs		3 pcs		
Options	Customizable length: ≤2.5m, customizable label: by LEDRICH/customer Customizable profile color: silver, black, white						
Accessory 1 (raw material packaging)							
Standard product	Item	Profilo	terminali	accessori fissaggio	Diffusore	Estensione	Alimentatore
	immagini						
	Amount	1 pcs	2 pcs/set	4 pcs/set	20 m/reel	3 pcs/set	1 pcs/set
Accessory 2 (raw material packaging)							
Standard product	Item	Pendant accessories	modulo Rigido				
	Immagini						
	Amount	2 pcs/set 3 pcs/set					
Options	Customizable length: ≤2.5m, customizable label: by LEDRICH/customer Customizable profile color: silver, black, white						